

# VT/HP Keyboard Map

for 16-Key PDT 8800

## Booting Procedures

Boot Type	Procedure
Soft Reset	L/R ScanButton+Func+Enter
Hard Reset	Function + Reset(located in the Battery Compartment)

## Local Terminal Functions

Local Function	Key Sequence
PocketPC Virtual Keyboard	<Func+><5>
Calibrate Touch Screen	<Func+><6>
Program Information	N/A
Keyclicks On/Off	N/A
Quiet Mode	N/A
Terminal Configuration	N/A
Host Configuration	N/A
VT/HP Terminal Setup	N/A
Close Session	N/A
Previous Session	N/A
Next Session	N/A
Caps Lock	N/A
View Mode On/Off	N/A
Scroll Left	N/A
Scroll Right	N/A
Scroll Up	N/A
Scroll Down	N/A

# VT/HP Keyboard Map

for 16-Key PDT 8800

## VT-100 Emulation Keys

VT-100 Key	Key Sequence
Return	<Enter>
Backspace	N/A
Tab	<Func+><0>
Up Arrow	<Up>
Left Arrow	<Func+><Down>
ESC	<Func+><9>
BS	N/A
LF	N/A
Hard Terminal Reset	N/A

VT-100 Key	Key Sequence
Enter	<Enter>
Backspace(Delete)	**<Down>
Backtab	N/A
Down Arrow	<Down>
Right Arrow	<Func+><Up>
PF1	<Func+><1>
PF2	<Func+><2>
PF3	<Func+><3>
PF4	<Func+><4>

## VT-220 Emulation Keys

VT-220 Key	Key Sequence
Return	<Enter>
Backspace	**<Down>
Tab	<Func+><0>
Up Arrow	<Up>
Left Arrow	<Func+><Down>
Hard Terminal Reset	N/A
Find	N/A
Insert Here	N/A
Prev Screen	N/A
PF1	<Func+><1>
PF2	<Func+><2>
PF3	<Func+><3>
PF4	<Func+><4>
BREAK <sup>1</sup>	N/A
F6	N/A
F7	N/A
F8	N/A
F9	N/A
F10	N/A

VT-220 Key	Key Sequence
Enter	<Enter>
Backspace(Delete)	N/A
Backtab	N/A
Down Arrow	<Down>
Right Arrow	<Func+><Up>
Soft Terminal Reset	N/A
Select	N/A
Remove	N/A
Next Screen	N/A
F11	N/A
F12	N/A
F13	N/A
F14	N/A
F15/Help	N/A
F16/Do	N/A
F17	N/A
F18	N/A
F19	N/A
F20	N/A

Alpha State 1

\*\*Alpha State 2

\*\*\*Alpha State 3

---

<sup>1</sup> The BREAK key is currently not available.

# VT/HP Keyboard Map

for 16-Key PDT 8800

## HP Emulation Keys<sup>2</sup>

HP Key	Key Sequence
Return	<Enter>
Backspace	**<Down>
Tab	<Func+><0>
Up Arrow	<Up>
Left Arrow	<Func+><Down>
Insert Line	N/A
Insert Char	N/A
Hard Terminal Reset	N/A
Prev	N/A
Clear Line	N/A
Insert Char with wrap	N/A
Scroll Down	N/A
F1	<Func+><1>
F2	<Func+><2>
F3	<Func+><3>
F4	<Func+><4>
User Key Menu	N/A

HP Key	Key Sequence
Enter	<Enter>
Backspace(Delete)	N/A
Backtab	N/A
Down Arrow	<Down>
Right Arrow	<Func+><Up>
Delete Line	N/A
Delete Char	N/A
Soft Terminal Reset	N/A
Next	N/A
Clear Display	N/A
Delete Char with wrap	N/A
Scroll Up	N/A
F5	N/A
F6	N/A
F7	N/A
F8	N/A
System Modes Menu	N/A

Alpha State 1

\*\*Alpha State 2

\*\*\*Alpha State 3

---

<sup>2</sup> The BREAK and STOP keys are currently not available.

# VT/HP Keyboard Map

for 16-Key PDT 8800

## VT/HP Character Map

Char	Key Sequence
^@	N/A
^A	N/A
^B	N/A
^C	N/A
^D	N/A
^E	N/A
^F	N/A
^G	N/A
^H	N/A
^I	N/A
^J	N/A
^K	N/A
^L	N/A
^M	N/A
^N	N/A
^O	N/A
^P	N/A
^Q	N/A
^R	N/A
^S	N/A
^T	N/A
^U	N/A
^V	N/A
^W	N/A
^X	N/A
^Y	N/A
^Z	N/A
ESC	N/A
^\ ^] ^^ ^_ Space	N/A N/A N/A N/A **<Up>
!	***<1><1><1>
“	N/A
#	N/A
\$	N/A
%	N/A
&	N/A
'	N/A
(	N/A
)	N/A
*	N/A

Char	Key Sequence
+	N/A
,	***<1><1><1><1>
-	**<1><1>
.	N/A
/	**<1><1><1><1>
0	<0>
1	<1>
2	<2>
3	<3>
4	<4>
5	<5>
6	<6>
7	<7>
8	<8>
9	<9>
:	***<1>
;	N/A
<	N/A
=	N/A
>	N/A
?	***<1><1>
@	**<1>
A	**<2>
B	**<2><2>
C	**<2><2><2>
D	**<3>
E	**<3><3>
F	**<3><3><3>
G	**<4>
H	**<4><4>
I	**<4><4><4>
J	**<5>
K	**<5><5>
L	**<5><5><5>
M	**<6>
N	**<6><6>
O	**<6><6><6>
P	**<7>
Q	**<7><7>
R	**<7><7><7>
S	**<7><7><7><7>
T	**<8>
U	**<8><8>

Char	Key Sequence
V	**<8><8><8>
W	**<9>
X	**<9><9>
Y	**<9><9><9>
Z	**<9><9><9><9>
[	N/A
\	N/A
]	N/A
^	N/A
_	**<1><1><1>
`	N/A
a	***<2>
b	***<2><2>
c	***<2><2><2>
d	***<3>
e	***<3><3>
f	***<3><3><3>
g	***<4>
h	***<4><4>
I	***<4><4><4>
j	***<5>
k	***<5><5>
l	***<5><5><5>
m	***<6>
n	***<6><6>
o	***<6><6><6>
p	***<7>
q	***<7><7>
r	***<7><7><7>
s	***<7><7><7><7>
t	***<8>
u	***<8><8>
v	***<8><8><8>
w	***<9>
x	***<9><9>
y	***<9><9><9>
z	***<9><9><9><9>
{	N/A
	N/A
}	N/A
~	N/A

Alpha State 1, \*\*Alpha State 2, \*\*\*Alpha State 3